



How science can reach patients: Innovative structures for investigator-initiated research and development

Frank Behrens

Rheumatology, Immunology – Inflammation Medicine, University Hospital & Fraunhofer Institute Translational Medicine and Pharmacology Goethe-University Frankfurt, Germany

Expertise and infrastructure of the Fraunhofer ITMPAgenda

- > The Fraunhofer ITMP as part of Fraunhofer Health Research
- Research Area Clinical Research
- Clinical development
- Projects, platforms and networks





Fraunhofer Health Research

At a glance

Transdisciplinary research for cost-intelligent solutions

- Health research comprises approx. 15% of the Fraunhofer R&D budget (3 billion/year)
- More than 40 of the 76 Fraunhofer Institutes conduct health research.
- Translational, strongly interdisciplinary, market and product development-oriented focus

The spectrum of Fraunhofer health research





Diagnostics













Mission Translational health research for the benefit of the patient



Vision Cost-intelligent solutions for optimal healthcare delivery




Strategy Shaping medical progress with transdisciplinary cutting-edge research



Health research is a cross-cutting issue at Fraunhofer

7 core institutes conduct health research exclusively



Health research is a cross-cutting issue at Fraunhofer

More than 40 institutes are active in the field of health research.



Health network

7 core institutes with over 1,500 employees

Focal points:

- Translational research
 - GxP
- Medical technology
- Medical Informatics
 - Clinical research
- Regenerative therapies

34 other institutes with technologies in the field of health research



The Fraunhofer ITMP


Structure of the ITMP

➤ Independent institute since 01.01.2021

➤ Institute Director: **Prof. Dr. Gerd Geißlinger** (Executive Director) **Prof. Dr. Frank Behrens**

Subdivision into three research areas and nine innovation areas

Currently **five locations:** Frankfurt (KGU), Hamburg (UKE), Göttingen (UMG), Berlin (Charité), Penzberg/Munich (LMU)





The Fraunhofer ITMP with its main location in Frankfurt

Matrix structure across three research areas (cross-location...)













Cross-functional



& Immune Toler-

O iStock | katleho Seisa 4D Clinic

GO TO INNOVATION AREA



Disease Models

Predictive preclinical and clinical disease models for the evaluation of disease hypotheses and characterization of active substances.

Fraunhofer ITMP | Eduard Resch

GO TO INNOVATION AREA

Proof-of-Concept & Clinical Studies

Successful translation of preclinical innovations by optimized study de-



The Fraunhofer ITMP

The five locations

Hamburg

Discovery Research ScreeningPort

- ScreeningPort, substance screening
- Biomarkers, Medical Data Science



Translational Medicine and Pharmacology

- Rheumatology, Gastroenterology, Dermatology, Inflammation medicine
- Drug formulation, pharmacology and toxicology, omics technologies, clinical trials



München

Penzberg



Berlin

Immunology and Allergology

- Allergology, dermatology
- Mast cell research



Göttingen

Translational Neuroinflammation and Automated Microscopy

- Neuroinflammation and degeneration
- Automated microscopy, nanoscopy



Penzberg/Munich

Immunology, infection and Pandemic Research

- Clinical pandemic research
- Biomarkers, diagnostics









Research areas Drug Discovery and Preclinical

Overview





- Target identification
- Molecular design, medicinal chemistry
- Targeted protein degradation
- High Throughput Screening (HH)
- Formulation
- Antibodies and protein
- Data Science (HH)
- Stem Cell Technologies (HH)

- In vitro pharmacology
- In vivo pharmacology
- Proteomics, Transcriptomics
- Models of immune-mediated diseases







Target Validation Lead structure identification

Lead structure Optimisation

Preclinical validation





Clinical Research ITMP - Frankfurt

Infrastructure for conducting clinical research projects/pharmaceutical studies



GCP-compliant structure based on quality management system



Project management:
Study coordination,
milestone monitoring,
contract management,
subcontractor
management, regulatory
affairs



Conducting in-house studies (IIT) and collaborations with biotech and small and medium-sized pharmaceutical companies



Clinical monitoring:
Supervision and support of rule-compliant implementation at national and international study centres, coordinative and logistical support



Project coordination: administrative support in project initiation and during the course of the project

Clinical Research ITMP - Frankfurt

Innovative study designs and evaluations



Medical writing: cooperation in the design of research projects/drug studies and study protocols.



Biostatistics: Innovative caseload planning and data analysis; secondary analyses;



Data management: implementation of innovative scientific database and documentation systems according to applicable standards



collections:
Collection of samples from external centres for later evaluation and analysis in research projects with a focus on IMIDs

Study-related biomaterial



Inflammation clinic:
Care-related and
complementary
infrastructure for transand interdisciplinary
research of patients with
IMIDs



Clinical Research ITMP - Frankfurt

Analytics, phase 1 and research priorities



Medical Bioanalytics:
Certified and accredited
laboratory for the
measurement of
lipidomics and
metabolomics



Phase 1 Unit:Conducting clinical trials in early drug development; pharmacokinetics

Research focus



Human Pain Models:
Objective measurement
of pain in research
projects and drug trials



immunopathology: research focus on spondylarthritides with a focus on psoriatic arthritis and early undifferentiated arthritis

Characterisation of

Project development Using the example of the MUST study



🏿 📵 Methotrexate plus ustekinumab versus ustekinumab monotherapy in patients with active psoriatic arthritis (MUST): a randomised, multicentre, placebo-controlled, phase 3b, non-inferiority trial

Michaela Koehm, Tanja Rossmanith, Ann C Foldenauer, Eva Herrmann, Jan Brandt-Jürgens, Gerd R Burmester, Herbert Kellner, Uta Kiltz, David M Kofler, Jürgen Rech, Sorwe Mojtahed-Poor, Christin Jonetzko, Harald Burkhardt, Frank Behrens, on behalf of the MUST Investigator Group*

Summary

*Collaborators are listed at the

Background The role of methotrexate in combination with biological agents in patients with psoriatic arthritis remains unclear. The MUST phase 3b trial aimed to compare the efficacy of ustekinumab plus placebo with ustekinumab plus methotrexate in patients with active psoriatic arthritis.

Concept

Developing the idea of an investigator-initiated study after observations in routine clinical practice

Innovative statistics

Development of a with realistic possibility of recruitment through innovative statistics in

cooperation with KGU

Industry partner

Cooperation with an industrial partner and promotion of IIT by Forschungsgrant

Implementation

Multicentre implementation, national by Fraunhofer ITMP



Project development Using the example of the PrevTel project

Analytical research

Pain research/ identification of a pathway neuropathic pain
under chemotherapy induction

Drug screening

Screening of the substance library: candidate for inhibition of the pathway identified; repurposing

2

Study concept

Design of a clinical trial with the identified potentially effective drug; innovative statistics; PoC **Implementation**


Carrying out the study in the sponsor's responsibility; marketing the results


















Early clinical development The example of FNAIT

Preliminary work: Phase 0 study to establish an assay as part of an EU consortium.

Final Report Summary - PROFNAIT (Development of a prophylactic treatment for the prevention of fetal/neonatal alloimmune thrombocytopenia (FNAIT))

Executive Summary:

PROFNAIT is a European Union-funded consortium (www.profnait.eu) consisting of eleven Northern European hospitals, blood banks and companies, which aim to prevent 1,000 cases per year in EU and the US of potentially lethal or disabling internal bleeding in at-risk babies due to fetal and neonatal alloimmune thrombocytopenia (FNAIT). In spite of FNAIT being a rare condition, 13 leading EU and US medical societies in the fields of obstetrics and gynaecology have expressed their support of the PROFNAIT project and confirmed the unmet medical need in FNAIT.





Thank You!

Fraunhofer ITMP & Faunhofer Health as competent partner in translation research and drug development

projektkoordination@itmp.fraunhofer.de

www.itmp.fraunhofer.de www.gesundheit.fraunhofer.de

